matthews
STUDIO EQUIPMENT®

Technology That Complements Your Imagination







MANUFACTURING TOOLS FOR THE TRADES

VOLUME 41

MATTHEWS.

TABLE OF CONTENTS / INDEX

CHAPTER ONE
NEW PRODUCT SHOWCASE

PRODUCT	PAGE
DC-Slider	8, 10
Heavy-Duty DC-Slider	11
DC & HDDC Motion Control System	12
DC-Slider Applications, Awards & More	13
Car Mount Systems	14, 15
Magic Riser	16
Baby Ball Head Adapter	17
Ball Head Camera Mounts	17
K-Stacker	18, 19
Micro Grip	20
Micro Clamp	21
Smart Phone Adapter	21
Micro Mount	22
Micro Mount Accessory Kit	23
Universal Tablet Mount – The 'MUT'	24, 25
Intel-A-Jib	26, 27
Skyscaper	28, 29

CHAPTER TWO
STANDS

PRODUCT	PAGE
MERF Stand	32
Reverse Stand	33
Revenger Stands	34
Falcon Stand	35
Back Light Stand	35
Hollywood C-Stand Kits	36
20" Hollywood C-Stand Kits	37
Spring Loaded C-Stands	38
Hollywood C-Stand Accessories	39
MatthLink Stand	40
Baby Stand – 'Pony'	40
Hollywood Beefy Baby	41
Beefy Baby Stand Door Rack	41
Hollywood Baby Junior Stand	42
Hollywood Combo Stands	43
4-1/2" Hollywood Grip Head – 'Lollipop'	43
Combo Adapter Wheels	43
Combo Door Rack	43
Matthews Digital Baby Stand	44
Matthews Digital Combo Stand	44
Magic Stand	45
Runway Base	45
Hollywood Junior & Senior Stands	46
Hollywood Overhead Stands	47
Mini Mombo Stand	48
Mombo Combo – 'Daddy Long Legs'	49
Guy Rope Safety Set	49
Master Caster	49
Mombo Combo Wheel Adapters	49
Skyscraper	50, 51

CHAPTER THREE
HARDWARE

PRODUCT	PAGE
Matthellini Clamps	54, 55
Extendellini	55
Super Mafer Clamp	56
Double Super Mafer Clamp	56
Grip Head — Snap In	56
Stem Head	56
Offset Arm — Snap In	57
Mounting Plate 4x4 — Snap In	57
Snap In Pins	57
Swivel U-Hook	57
Weld On Snap In	57
Swivel Snap In	57
TVMP Snap In	57
HEX Pin to 1/4-20	57
Hollywood Superflex Arm	58
Scrim Flag Adapter	58
Magic Finger	59
Gobo Arm with Magic Finger	59
Knuckle Head	59
Broken Arm	59
Gag & Double Gag	60
Drop Ceiling Scissors Clamp	60
Putty Knife with 5/8" Pin	60
5/8" Female to Female Adapter	60
6" Pin with Collar	60
Adapter	61
Adapter Kit	61
Baby Pipe Adapter	61
Baby 2fer (Triple Baby Pin)	61
Baby 3fer (Quad Baby Pin)	61
Bar Clamp Adapters	61
Cheater Adapter	61
TVMP Bale Block	62
Stand/Spud Adapter	62
Adapter — Baby Pin to 17mm	62
Junior Baby Adapter	62
Right Angle Baby Pin Adapter	62
ATTA Pin	62
Baby Plates	63
Junior Wall Plate	63
Receiver Mounting Plate	63
Cheater Plate	63
Baby Swivel Plate	63
Cantrell Holder	64
Foam Core Holder	64
Quaker Clamp	64
AFFLAC Clamp	65
Gaffer Grip	65
Heavy Duty Flag Clamp	65
Junior Stand Extension	66
Baby Stand Extensions	66
Headers	66

CHAPTER THREE
HARDWARE

PRODUCT	PAGE
C Clamps	67
Speed C Clamp	67
Furniture Clamps	68
Heavy Duty Furniture Clamps	68
Condor Bracket	68
Set Wall Bracket	69
Bailin Bracket	69
Poultry Bracket	69
Tree Branch Holder	69
Anchor Spike	70
Bazooka	70
Grip Helper	70
Crowder Hanger	70
Wall Spreaders	71
Trapeze	71
T-Bone	71
Trombones	72
Meat Axe	72
Mini Meat Axe	72
Chain Vice Grips & Locking Pliers	73
Studio Overhead Grip Arm	73
Extension Ears	73
Lightweight Telescoping Hangers	74
Heavy-Duty Telescoping Hangers	75
Matthpoles	76
Micro Grip	77
Micro Mount	78
Universal Tablet Mount – The 'MUT'	79
Micro Clamp	80
Smart Phone Adapter	80
Monitor Stand	81
Monitor Holder	81
Magic Monitor Holder	81
Flex Monitor Holder	81
Monitor Mount & Adapter Plate	82, 83

CHAPTER FOUR
BOOMS & ARMS

PRODUCT	PAGE
Junior Boom	86
Baby Boom	86
Mini Boom	86
Drop Downs	86
Offset Arms	87
Side Arms	87
Intel-A-Jib	88, 89
MAXine	90
MiniMAX	91
MAX	92, 93

TABLE OF CONTENTS / INDEX

CHAPTER FIVE
TRUSS AND GRID CLAMPS

PRODUCT	PAGE
Flat Side Grid Clamp	96
JK Clamps	96
Big Ben Clamp	96
Baby Grid Clamp	96
Swivel Grid Clamp	96
Junior Grid Clamp	96
Pipe Clamps	96
Lightweight Telescoping Hangers	97
Heavy-Duty Telescoping Hangers	98
Truss Me System	99

CHAPTER SIX
LIGHTING CONTROL

PRODUCT	PAGE
Standard 42" x 42" Reflector	102
Mirrored 42" x 42" Reflector	102
42" x 42" Reflector Scrims	102
Aluminum Hand Reflector	103
Matthboards	103
Pivoting Yoke for Matthboard	103
Polito Bracket	103
Reflector Materials	104
Reflector Boxes	104
Light Duty Butterfly Kit	105
18"x 24" Lighting Control Kit	105
24"x 36" Lighting Control Kit	105
Butterfly & Overhead Frames	106, 107
Corners, Connectors, Ears & Hangers	108
Quick Reverse Ear for 1" Square Tube	108
Fabric Specifications	109-115
Overheads & Butterflys	116-119
RoadRags & RoadRags II	120
Mini Grip	121
RoadRags C-Vival Kit	121
MatthTies	122
RoadFlags	123
Rag Bags	124
Dots	124
Fingers	124-125
Flex Scrims	126
Open End Scrims	127
Solid Frame Scrims	127
Flags, Cutters & Floppies	128
Frames Only	129
Diffusion/Gel Frames (Flat Frames)	130
Flag Bags & Scrim Storage Bags	130
High Temp Metal Scrims, Flags & Cutters	131
Cucoloris	131

CHAPTER SEVEN
WIRE DIFFUSION

PRODUCT	PAGE
Wire Diffusion	134 -137

CHAPTER EIGHT
BAGS AND BOXES

PRODUCT	PAGE
Sandbags	140
Boa Bags	140
Saddle Bags	141
Shot Bags	141
Sound Blankets	141
Apple Boxes	141
Octagon Board	141
Elephant Blocks	142
Stair Blocks	143
Scrim & Flag Boxes	143
Clip Boards	143
Track & Camera Cribbing/Wedges	143
Parallels	144
Ladders	145

CHAPTER NINE
CAMERA SUPPORT

PRODUCT	PAGE
Car Mount Systems	148-149
Magic Riser	150
Ball Head Camera Mounts	151
Baby Ball Head Adapter	152
Smart Phone Adapter	152
Car Mount Accessories	153
Camera Mount	154
Ball Head Camera Mounts	154
Vacuum Cups	155
4-Way Tilt Plate	155
Mounting Kit	155
Hood Mount Kit	156
Side Mount Kit & Bracket Assembly	156
Work Horse Clamp	157
Horizontal Frame Clamp	157
Swivel Grid Clamp	157
Baby Grid Clamp	157
Junior Grid Clamp	157
Right Angle Grid Clamp (90°)	157
Tie Down Straps & Leveling Pads	157
Screw Jack Set	157
Low Profile Leveling Head	158
Slide Plate & 2 Way Tilt Plate	158
High Hats	158
Camera Risers	159
4-Way Leveling Head	159
Claw Ball to Mitchell Flat Base Adapter	159
Adapters	159
Bazooka	160
MT-1 Heavy Duty Tripod	161
Brass Brake for MT-1	161

CHAPTER TEN
DOLLIES AND TRACK

PRODUCT	PAGE
Round-d-Round Doorway Dolly	164
Doorway Dolly	165
The Centipede	166
Hot Buttons & Track Wheels	166
Lenny Levelers	166
Western Dolly	167
Dolly Track	168, 169

CHAPTER ELEVEN
KITS

PRODUCT	PAGE
Combo Scrim / Flag Kit	172
Hollywood C+ Survival Kit	172
RoadRags C+ Survival Kit	172
Dot & Finger Survival Kit	173
Flex Scrim Survival Kit	173
Mounting Hardware Survival Kit	174
Reflector Survival Kit	174
6' x 6' Butterfly Survival Kit	175
Scrim/Flag Survival Kit	175
Light Duty Butterfly Kit	176
18"x 24" Lighting Control Kit	177
24"x 36" Lighting Control Kit	177

CHAPTER TWELVE
TEXTILES

PRODUCT	PAGE
Textiles	180
Griff Clips	181
Fab Tape	181
Muslin Repair Tape	181
Griff Tape	181
Duvetape	181

CHAPTER THIRTEEN
RECOVERS

PRODUCT	PAGE
Dot Recovers	184
Finger Recovers	184
Open End Recovers	184
Solid Frame Recovers	185
Flag & Cutter Recovers	185

INDEX

WEIGHTS & MEASURES

FloatCam DC-Slider™

DISTRIBUTED by MATTHEWS STUDIO EQUIPMENT

A Unique Precision Counterbalanced, Multifunctional Camera Platform

Matthews Studio Equipment has announced the exclusive distributorship in the Americas of a unique concept in camera support…
The DC-Slider designed and manufactured by FloatCam; A multifunctional camera platform that offers many creative possibilities to camera operators.

By combining an unusually long variable-angled camera slider track with mini-jib functionality, the DC-Slider is truly remarkable displaying both state-of-the-art technology and precision engineering. Additionally, the DC-Slider quickly transforms into a vertical 6-foot tower. In all configurations the DC-Slider's counterbalancing feature ensures that precision camera moves are smooth and steady.

And that's what makes it unique!

377718 DC-Slider
Contact Matthews for Pricing.

The DC-Slider system includes the Arm, 100mm Fulcrum Point Mechanism, Weights, Parallelogram (Jib Arm), 2 Feet with Levelers, Vertical Mounting Plate, Crank-Handle and Cases.

Optional manual or programmable motor drive system is available. See page 12.

ANGLES ▶ The DC-Slider allows a wide-range of variable angle operations. No matter how acute the angle, the counterbalance system will assure steady and stable camera movements. A simple, positive-locking adjustment feature allows for camera placement at the exact vertical or off-axis position for creative imaging. Minimum and maximum heights of the DC-Slider in the multi-angled positions are dependent on the height of the tripod.

FloatCam DC-Slider™

DISTRIBUTED by MATTHEWS STUDIO EQUIPMENT

A Unique Precision Counterbalanced, Multifunctional Camera Platform

MINI-JIB ▶ In the Mini-Jib mode, the DC-Slider operates a working diameter of 63" (160cm) on the horizontal. The counterbalance system is locked to ensure unvarying movements through the full-range of the jib arm's capabilities. An easy adjustment of the parallelogram bar will allow the camera to stay locked on to a subject throughout the range of the jib arm's vertical travel rather than staying in a fixed attitude. The maximum and minimum operating heights of the Mini-Jib function are dependent on the height of the tripod.

TOWER ◀ With the simple removal and repositioning of two handles, the DC-Slider becomes a tower allowing for an exact vertical camera move through the full range of the 63" (160cm) track. Minimum and maximum heights of the camera moves, when mounted on the tower, are dependent on tripod configuration. The counterbalance system maintains a steady resistance to camera moves reducing the possibilities of irregular movements during the start or finish of a camera move.

SLIDER ▶ The DC-Slider can be mounted on a single tripod or placed on level or uneven surfaces and the constant counterbalance feature will always maintain a uniform pressure that ensures uniform camera movements throughout the full tracking length of 63" (160cm).

FloatCam DC-Slider™

DISTRIBUTED by MATTHEWS STUDIO EQUIPMENT

A Unique Precision Counterbalanced, Multifunctional Camera Platform

Table Top, Ground Level or Incline ▲ The DC-Slider when placed in either the table top, ground level or inclined position will extend even the most creative camera operators' capabilities. All the required hardware is included with this state-of-the-art, technologically advanced system making DC-Slider the premier choice of professionals worldwide.

CASES ▶ The DC-Slider system comes complete with customized system cases.

WEIGHTS ▶ Camera and flat plate are precisely balanced with a variety of available weights to guarantee exact counterbalancing.

WHEELS Specifically formulated composite wheels ensure smooth, silent operation of both the camera and counterbalance system.

HANDLE ▶ A removable crank-handle controls the camera system across the full span of the DC-Slider in all configurations and positions.



DC-Slider Specifications

SLIDER SET UP:

Rail Length.....73"/ 185cm
Tracking Length.....63"/ 160cm
Vertical Height.....79"/ 200cm
Maximum Load.....22lbs / 10Kg
Weight.....28lbs / 12Kg
Counterweights.....26lbs / 12Kg

MINI JIB SET UP:

Maximum Height...84"/ 214cm (w/Tripod @ 63"/160cm)
Working Diameter @ Horizontal.....63"/ 160cm

CASES (2 per system):

Large Case 76"x10"x12"/
193x25x39cm.....17lbs / 8Kg
Small Case 36"x8"x14"/
93x20x35cm.....9lbs / 4Kg

View the DC-Slider @ www.msegrip.com.

FloatCam Heavy Duty DC-Slider™

DISTRIBUTED by MATTHEWS STUDIO EQUIPMENT

In 2011 Matthews presented the DC-Slider to the public for the very first time at NAB and again at CineGear. Your response exceeded all projections making DC-Slider a truly remarkable success story. And while we were enjoying that success the DC-Slider presented, we heard your requests for a heavy-duty model that would accommodate cameras weighing up to 70lbs (30kg).

Well, here it is!

Same multifunctional camera platform. Same variable-angled camera slider track. Same state-of-the-art technology and precision engineering. Same counterbalancing feature. It's virtually the same as the original DC-Slider except that the Heavy Duty DC-Slider can handle much larger cameras without compromising stability, performance and, of course, creativity.

377720 Heavy Duty DC-Slider
Contact Matthews for Pricing.

Optional manual or programmable motor drive system is available. Contact your dealer.

SPECIFICATIONS :
Rail Length: 73" (185cm)
Tracking Length: 63" (160cm)
Vertical Height: 79" (200cm)
Maximum Load: 70lbs. (30kg)
Weight: 70lbs. (30kg)
Counterweights: 70lbs. (30kg)
Cases: Included.

Mitchell Mount standard tripod mount — 150mm Half Ball available.

MINI JIB SPECIFICATIONS:
Maximum Height: 84" (214cm) & w/Tripod at 63" (160cm)
Working Diameter
Horizontal: 63" (160cm)

FloatCam DC-Slider Motion Control System

DISTRIBUTED by MATTHEWS STUDIO EQUIPMENT

CPU Dimensions:
3.5x5x1-1.4 inches (85x130x30mm)

Weight: 3/4 lbs. (0.35kg)

Developed specifically for use with the DC-Slider, you'll enjoy endless possibilities of camera movement and control. Motion control allows manual and programmed movements. Every movement, manual or programmed, may be recorded and stored for later use. There are nine persistent banks and one volatile bank available. Each movement can be repeated up to 999 times and extended "time extension" up to 99 times, allowing the user more than enough opportunity to get that perfect shot. You'll really appreciate the wide range of speed settings from 0-20cm/sec. and a speed ramp range from .5-2.5 seconds. Due to the patent pending, precision counter balance system on the DC and HD Slider family, only one motor is required for all functions of the motion control. The Motion Control System allows the use of the mutli-angled slider to achieve a wide range of unique shots.

DSLR — Time Lapse and Stop Motion Modes:

Time Lapse Continuous mode allows for continuous movement across the slider during the time lapse process. When using Canon and Nikon DSLR's and the accessory camera control cable, it is possible to control the shutter speed and exposure from the remote control which contains a built in intervalometer. In this mode it is possible to set the total movement time, number of shots and control the shutter and exposure of a DSLR camera. It is also possible to trigger multiple image sequences from the Motion Control. This can be useful for high dynamic range imaging, exposure-bracketed time lapse or multiple constant-exposure shots for noise reduction in the post production process. The time lapse continuous setting also gives you the option to read a saved track from the memory, or manually set the start and stop position desired.

Time Lapse After Shots or Shoot-Move-Shoot mode works similar to the continuous time lapse mode, but the camera stops before each shot. Set the distance, number of shots, movement time, and control shutter and exposure of DSLR's. Multiple image sequences for HDR shooting are also capable in this mode.

Stop Motion Distance mode allows programmed distance between each shot with precise accuracy. Every move and shot is initiated manually through the controller.

Stop Motion Shot mode allows camera movement with factory settings and programmed number of shots. In this mode, it is possible to set, number of shots and control shutter and exposure of DSLR cameras with the use of the accessory camera control cords.

377719 DC-Slider Motion Control System.....Contact Matthews for Pricing.
377726 HD-DC-Slider Motion Control System.....Contact Matthews for Pricing.

Accessory Camera Control Cable for DSLR's.....Contact Matthews for Pricing.
Please reference msegrip.com for complete listing of camera control cables.

MOTOR Dimensions: 2-3/4x2-3/4x5-1/2 inches (70x70x130mm)

FloatCam DC-Slider™

DISTRIBUTED by MATTHEWS STUDIO EQUIPMENT

A Day in the Life of the DC-Slider.

View the DC-Slider BMW Video @ www.msegrip.com.

Car Mount Systems

Matthews Car Mount Systems integrates MICROgrip technology along with the recently introduced Matthews family of Ball Heads to provide the professional camera person a very strong, versatile and reliable system for mounting cameras to automobiles, trucks, boats, trains and even low flying airplanes.

The PRO Mount System will accommodate camera packages up to 26 pounds (12kg) using the Matthews BH-20 Ball Heads and a series of three vacuum cups and MICROmount grip heads and rods. The MASTER Mount System will handle camera loads up to 40 pounds (18kg) and is based on the Matthews BH-30 Ball Head mounted on a 10" vacuum cup and two 6" vacuum cups integrated with the MICROgrip supporting components to ensure solid and steady imaging.

Each of the Matthews Car Mount Systems are complete systems and are shipped with an instructional, introductory video as well as visual examples of selected camera placements and the resulting images.

Set up with the Matthews Camera Mount Systems is quite easy and after just a few experiences you will be able to place any camera, in any position, in just 5-10 minutes with excellent stability and crisp images. As with any situation where the camera is mounted to a moving vehicle, Matthews recommends that you always use auxiliary straps (not included in the system) to secure your camera for safety purposes.

415169 Master Mount System.....List Price $875.00
40lbs. (18kg) Capacity

Includes: BH-30 w/Dove Tail Plate & 10" Vacuum Cup [1], Hot Shoe Adapter [1], 20" Micro Grip Rod [4], Micro Grip Heads [2], Mini Grip Heads [2], 6" Vacuum Cup w/5/8ths pin [2], 8" Micro Grip Rod [1], Carrying Bags & Instructional Video.

Matthews Instructional Video Included or View Matthews Car Mount Systems Video @ www.msegrip.com



SET UP/CONFIGURATIONS

POINT OF VIEW

Illustrated here are just some of the many possible configurations using Matthews Car Mount Systems utilizing both vacuum cups and Matthews hardware.

It's all up to your imagination;
We just complement it!

415168 Pro Mount System.....List Price $658.00
26lbs. (12kg) Capacity

Includes: BH-20 w/Dove Tail & 6" Vacuum Cup [1],
6" Vacuum Cup w/5/8ths pin [1], 4.5" Vacuum Cup w/5/8ths pin [1],
Hot Shoe Adapter [1], 8" Micro Grip Rod [1], 20" Micro Grip Rod [2],
Mini Grip Heads [2], Micro Grip Heads [2], Carrying Bag & Instructional Video.

Matthews Instructional Video Included or View Matthews Car Mount Systems Video @ www.msegrip.com

Magic Riser

Extendable.
Versatile. Precise.

Matthews MAGIC RISER is the latest addition to the Car Mount series of products.

Matthews Magic Riser will allow you extended flexibility to your camera positioning that other car mount systems do not offer.

Magic Riser allows you a full 9" to 14" of travel to precisely position the camera in almost any desired position.

Magic Riser works with both the Matthews 6" and 10" vacuum cups as well as other suction cups with a 3/8" male thread.

Adding the Magic Riser to your car mount system will upgrade your system to the most versatile in the market.

415174
Magic Riser.....List Price $175.00

Weight: 1.5 lbs. (.7kg)
Minimum length: 13" (33cm)
Maximum length: 17" (43cm)

View The Magic Riser Video @ www.msegrip.com

Baby Ball Head Adapter

Strong. Sleek. Versatile.

Another creative innovation from the Matthews design team; The Baby Ball Head Adapter. Constructed as one-piece out of 6061 T-6 Aluminum, this strong, sleek-looking adapter converts any 5/8" baby pin or 1-1/8" junior receiver into a 3/8-16" threaded spud.

This new adapter will allow the user to mount a ball head to any stand or piece of hardware, be it a mafer clamp, pipe clamp, Matthellini, baby stand, junior stand or one of many other pieces of hardware.

Use this adapter with one of the MSE family of Ball Heads or any other ball heads with a 3/8" threaded hole to mount your camera in almost any location.

415173
Baby Ball Head Adapter.....List Price $40.00
Weight: .5 lbs. (.23kg)

View Video Demonstration @ www.msegrip.com

Ball Head Camera Mounts

Unlike most other ball head mounts which are manufactured from die cast components, Matthews Ball Head Camera Mounts are individually CNC machined from solid bar stock to ensure precise control over all critical dimensions and elements.

A precision machined camera quick release plate with a balancing feature offers quick, safe and positive-locking of the camera to the Ball Head Mount. The mounting plate can stay permanently attached to the camera thus avoiding the hassle of trying to screw the camera onto the ball or screwing the ball onto the camera. All heads mount either to the suction cup or other devices with 3/8"-16 mounting threads for extra strength and security.

The Matthews Ball Head Camera Mount is available in two different sizes to accommodate particular camera weights. When using the Matthews Ball Head Camera Mount on a moving vehicle, be certain the system is well stabilized and supported.

427016 BH-30

427015 BH-20

	Weight Capacity	List Price
427015 BH-20 BALL HEAD Assembly w/6" Vacuum Cup	26.4lbs (12kg)	$255.00
427016 BH-30 BALL HEAD Assembly w/10" Vacuum Cup	39.6lbs (18kg)	365.00
BH-20 BALL HEAD (sold separately)	26.4lbs (12kg)	$155.00
BH-30 BALL HEAD (sold separately)	39.6lbs (18kg)	175.00

K-Stacker

QUESTION: Would you like to place more, large fluorescent fixtures into a tight pattern for more punch?

Or hang a few four foot fluorescent fixtures from a Junior Boom or Telescoping Hanger for that "Dead Down" light positioning?

And how about creating a rolling "Tower of FLUO Power" of 4, 5 or up to 6 four foot fluorescent fixtures on set or location?

ANSWER: The K-STACKER by Matthews...

The K-STACKER will allow you to build up multiples of the production industry's most popular, professional, fluorescent fixtures into a wide variety of configurations easily, quickly and safely...

Strong and robust, the K-STACKER is constructed with a junior pin at one end and a junior receiver at the other end to allow stacking of multiple fixture supports. Multiple through holes that feature secure tee handle locking allow for tight placement of fixtures on a single plane. Each K-STACKER will accommodate two fluorescent fixtures with 3/8" (9mm) mounting pins with the barn doors either folded back out of the way or to the front in normal operating position... With two K-STACKERS vertically mounted on a stand or base it is possible to place four 4 foot fluorescent fixtures vertically around the stand and create a center or "campfire" type light source.

Or for maximum power and mobility, build a "TOWER OF FLUO POWER." Stack 2, 3 or even 4 K-STACKERS on a rolling base or stand, mount up to 8 four foot fixtures, hang the ballasts off the back end, tie everything into a simple power strip and with just a stinger to the power source you can easily move this compact, powerful light source almost anywhere...

By simply rotating the mounting pin 90 degrees you can easily re-configure the K-STACKER from the horizontal to the vertical light fixture position mode... A "Pop Up" baby or 5/8" (16mm) pin at the top of each K-STACKER lets you add even yet another small fixture into the lighting array...

119737 K-STACKER.....List Price $280.00

Dimensions: Height 36" (92cm) • Weight 7 Lbs. (3.2 Kg)

K-STACKER
shown with four 4 foot horizontal light banks.

K-STACKER
shown on 388201 Runway Base.
(Runway Base not included)



K-STACKER with two horizontal banks on Matthews 366066 Lo Boy COMBO Rolling Stand.

K-STACKER with two 4' vertical banks on Matthews 366066 Lo Boy COMBO Rolling Stand .

Two **K-STACKERS** with multiple horizontal banks on Matthews 388201 Runway Base.

K-STACKER with two banks horizontal to the floor on Matthews H.D. Telescoping Hanger.

MICROgrip

MICROgrip by Matthews is being introduced as the newest line of grip and mounting products developed especially for the motion picture, television and photographic production industries. This broad range of products has been developed around the MICROgrip head with only a 1.25" (32mm) diameter and tapped 3/8" rods of various lengths.

MICROgrip is great in the studio for table top and product imaging as well as miniature work. The microgrip head allows all of the moves and features of its bigger 2-1/2" counterpart but in a smaller package. Accessories to the MICROgrip head include various lengths of 3/8" rods, weighted bases for increased stability, clips to hold props and objects, and micro shot bags plus a wide variety of micro scrims and flags.

The creative professional image maker will discover many uses and applications for MICROgrip that will allow them to quickly expand their creativity with more satisfying results.

MICROgrip. Matthews smallest endeavor ever!

350604 MICROgrip Head
1.25" (32mm)
List Price $42.00

SEE A VIDEO DEMONSTRATION ON
OUR WEB SITE: WWW.MSEGRIP.COM



350602-1 Base
List Price $40.00

350623
1/4-20 Male to 5/8 Female Receiver
List Price $33.00

20027-10
1/4 to 5/8 Pin
List Price $12.00

350605 MICRO Shot Bag
List Price $20.00



Scrims and Flags

M219063	3" Single Scrim	List Price $25.00
M219073	3" Double Scrim	List Price $25.00
M219083	3" Solid	List Price $25.00
M219093	3" Art Silk	List Price $25.00
M229111	2"x 4" Single Scrim	List Price $28.00
M229112	2"x 4" Double Scrim	List Price $28.00
M229113	2"x 4" Art Silk White	List Price $28.00
M229114	2"x 4" Solid	List Price $28.00



350602-4 20" (510mm) Rod List Price $12.00

350602 -3 12" (304mm) Rod List Price $10.00

350602 -2 8" (203mm) Rod List Price $8.00

350602-6 6" (150mm) Rod List Price $7.00

350602 -5 4" (101mm) Rod List Price $6.00

350606 Clip 3/8" Thread List Price $15.00

350612
MICROgrip Master Kit

2- Bases
1- Pin & 1- Clip
6 - MICROgrip Heads
2 each - 4", 6", 8", 12" & 20" Rods
2- MICRO Shot Bags
1- 5" Packing Tube
List Price $475.00

350611
MICROgrip Basic Kit

1- Base
2 - MICROgrip Heads
1 each - 8", 12" & 20 Rods"
1- MICRO Shot Bag
List Price $164.00

MICROclamp

Taking after his father the Mafer Clamp with both strength and versatility, the Matthews MircoClamp is the newest addition to the MicroGrip family. The MicroClamp can grip to round or flat surfaces, as well as many other objects or shapes one may find on set. It's reduced size and dual 3/8" and 1/4" mounting holes give it extreme flexibility. Its strength is derived from a precision aluminum extrusion, it's high performance stick pads and an aluminum locking kip handle. The MicroClamp is a must have in your bag of tools.

Attachments: 1/4" & 3/8"
Clamp Range Max: 1.75"
Payload: 10 Pounds
Weight: .25 pounds

350617 MicroClamp.....List Price $28.00

MicroClamp
used w/20027-10
1/4" to 5/8" Adapter

Smart Phone Adapter

The Smart Phone Adapter utilizes MicroGrip technology and two brackets allowing secure and precise mounting of the most popular smart phones on the market. HTC, I-Phone 1-4, I-pod Touch, Samsung, and LG are just a few of the devices one may mount with the Matthews Smart Phone Adapter. Use this adapter to take full advantage of the applications (apps) one may use on set, location, in the studio, or even on a vehicle. Components of the New MicroGrip line allow mounting with 3/8" rods and clamps.

Attachments: 3/8"
Specs: 1.75"-3.75" Wide, 5" Tall x 7/8" Deep

350616 Smart Phone Adapter .....List Price $71.00

SmartPhone
Adapter shown
using MicroClamp
& MicroGrip Rod
w/SmartPhone

SmartPhone
Adapter shown
w/SmartPhone
(ghosted) &
MicroGrip Rod



SmartPhone
Adapter shown
w/Mini Matthellini

SmartPhone
Adapter shown
using Hot Shoe
Adapter &
MicroGrip Rod
w/SmartPhone

MICROmount

We know it's the strongest, lightest, most versatile and 'won't wear out' mount offered.

Try it and you will too!

The MICROmount Basic Kit by Matthews Studio Equipment is a light/monitor mount utilizing two of the MICROgrip heads and three lengths of 3/8" rod to create a highly flexible mount. This will allow the photographer/operator to get the on-camera light enabling the light to be positioned to either side and creating the more desirable 'dimensional' lighting effect rather than the 'flat' lighting effect. While the basic MICROmounts light/monitor mount is supplied with three 4" rods, the photographer/operator can add longer rods to create dramatic and creative lighting effects with the on-camera lighting fixture.

The MICROmounts light/monitor mount will also serve as an on-camera monitor mount. Its flexibility will allow for the monitor placement to be almost anywhere! Add just a few more MICROgrip components and the MICROmount can support an on-camera light and monitor or even two monitors from the same support system.

Note: If your camera is not equipped with a 1/4"- 20 female thread to receive the MICROmount use a Hot Shoe Adapter. To adapt the MICROmount to the hot shoe adapter remove one of the 1/4"- 20 Pan Head Screws from one of the two rods and attach to the hot shoe adapter. It will be necessary to heat the rod to release the Lock-Tite material in order to remove the screw. A 3/8" to 1/4"- 20 adapter is also available if needed!

The possibilities are endless!

350609
MICROmount Basic Kit
List Price $125.00

View Video Demonstration @
www.msegrip.com

MICROmount Accessory Kit

MICROmount
w/standard 1/4-20 thread

350610 Adapter
3/8" to 1/4"
List Price $20.00

350614 Hot Shoe Adapter
3/8" to 1/4"
List Price $30.00



350613
MICROmount Accessory Kit
2- MICROgrip Heads, 1- Hot Shoe Adapter, 1-Knurled Knob
1each - 4"& 6" Rods w/Buttons in one end - Threads in the other
1each - 8"& 12" Rods w/Buttons in both ends
List Price $150.00

Universal Tablet Mount

The'MUT'...Mount Any Breed of Tablet or iPad®!

Whether you're on location, on set, or at your desk, the Matthews Universal Tablet Mount or 'Mut' provides a simple yet reliable mounting solution for your tablet or iPad® regardless of the model. The 'Mut' allows Tablet or iPad users to mount their device with or without a protective case as it will adjust from 10" to 13" long and 1/8" to 3/4" thick.



Teflon coated, adjustable steel bracket with spring steel pressure points.



350621
Universal Tablet Mount
Master Kit

The 'Mut' affixes to most brands easily and provides maximum holding strength and reliability. Additionally, the 'Mut' works with most standard mounting devices as it comes with a 1/4-20 female threaded hole on the back of the bracket.

Flimsy molds or specified tablet/iPad model mounts are no longer necessary with the Matthews Universal Tablet mount 'Mut'. Buy one mount that will last you through generations of technology development and you can thank us later. The mount comes in three different kits that will allow you worry free "set it and forget it" technology that Matthews has offered for the last 42 years...

350620 Universal Tablet Mount Basic Kit.....List Price $120.00
350622 Universal Tablet Mount Desk Kit.....List Price $200.00
350621 Universal Tablet Mount Master Kit.....List Price $250.00

Kit Details on next page.

Universal Tablet Mount

Kits...

350620
Basic Kit
(1) 'Mut' Bracket w/ locking knob
(1) 1/4- 20 to 5/8 Baby Pin
List Price $120.00

350622
Desk Kit
(1) 'Mut' Bracket w/ locking knob
(1) Micro Grip Base (1) Micro Grip Head
(1) Micro Grip Rod 4" (1) Micro Grip Rod 6"
List Price $200.00

350621
Master Kit
(1) 'Mut' Bracket w/ locking knob
(1) 10" Articulating Arm w/ removable shoe
(1) Micro Clamp (1) Carrying Bag
List Price $250.00

Accessories...

20027-10
1/4 - 5/8 Pin
List Price $12.00

350623
1/4 - 20 Male to 5/8 Female Receiver
List Price $33.00

Configurations...

350621
Master Kit
Used to Mount
Tablet Off of
1-1/4" Pipe

'MUT' used
w/Male to Female
350623 Receiver,
388210 Magic Finger
& 420110 Matthellini

Intel-A-Jib™

Intel-A-Jib is a unique modular jib system that can go from zero to ten feet in two minutes without tools!

The Intel-A-Jib is manufactured using the latest techniques, processes and equipment, resulting in the superior quality for which Matthews equipment is known.

Among the many features that differentiate the Intel-A-Jib from the competition is the one-piece X-Box Extrusion™ modular beam. This design element offers superior anti-deflection and anti-distortion of the arm. The Intel-A-Jib sets up in less than two minutes without any tools due to the innovative V-Lock™ component connector locking system. With extensions of either 10 or 6 feet in length, the Intel-A-Jib can accept virtually any camera package, expanding great image-making creativity. The Intel-A-Jib uses the internationally accepted Mitchell Mounting System to interface with the supporting tripod system and for camera mounting.

Matthews also offers many accessories designed to expand the jib arm's capability and functionality. Mounting the Intel-A-Jib to Matthews MT-1 Heavy-Duty Tripod and the DL-7 Dolly (sold separately) allows the operator to quickly and easily position the fixture thereby ensuring many more opportunities to capture that 'perfect' shot. If you'd like to see it in action — 'click' on Matthews web site at msegrip.com to view a few of many in-use photos. We think you'll be impressed!

377704 Intel-A-Jib.....Contact Matthews for Pricing.
Accessories are additional.

Intel-A-Jib accessories:

- **Travel Cases**
- **Mitchell to Claw Ball Adapters (100mm & 150mm)**
- **Mitchell to Elemac Adapters**
- **Mitchell to Elemac to Claw Ball Adapters (100mm & 150mm)**
- **Camera Risers**
- **Jib Control Handle (quick release)**
- **MT-1 Heavy-Duty Tripod**
- **DL-7 Dolly for MT-1 Tripod**
- **4-Way Leveling Head**
- **Bangi for horizontal off-set camera positioning**



Intel-A-Jib's one-piece X-Box Extrusion™ offers superior anti-deflection and anti-torsion properties, resulting in a lightweight jib with a great load capacity, and smooth operation.



Intel-A-Jib's innovative V-Lock Connector™ makes assembly and disassembly of Intel-A-Jib simple and fast, without wires or cables.





Protect your investment! Matthews offers two specifically designed cases that have been created to allow you to store and transport the Intel-A-Jib from location to location in a safe and organized way. It will also enable your setup times to be consistently under two minutes!

377711 Small Case..... List Price $500.00
377712 Large Case..... List Price $600.00

377708
Expanding Handle
List Price
$332.00



The Expanding Handle securely locks into any of the holes along the beam for front end control of the jib's movement.

845120
Elemac to
100mm Bowl
(shown)
List Price $459.00

845122
Elemac to
150mm Bowl
List Price $550.00

515025
Mitchell to Elemac Adapter
List Price $337.00

377709
Mitchell to 100mm
Low Profile, Bowl Adapter
List Price $155.00

377710
Mitchell to Sachtler Adapter
List Price $450.00





Fine tuning weights for perfect balancing of jib arm. Weights not included.

415063
Matthews 4-way Leveling Head
List Price $1066.00

GENERAL SPECIFICATIONS*

Min. Reach (From center of fulcrum pivot point, to center of 7" Mitchell mount)	**6' (1.83 METERS)**
Max Reach (From center of fulcrum pivot point, to center of 7" Mitchell mount)	**10' (3.10 METERS)**
Max Camera Package Load Capacity	**120 lbs. at 6' (54.43 Kg at 1.83 m) 80 lbs. at 10' (36.29 Kg at 3.10 m)**
Overall Assembled Length	**9' 7" at 6' (2.96 m at 1.83 m) 13' 8" at 10' (4.21 m at 3.10 m)**
Weight at Full Extension (less counterbalance weight)	**65 lbs. at 10' (28.48 Kg. at 3.10 m)**
Counterbalance Weight to Load Ratio	**1.8:1 at 6' (1.83 m) 3.0:1 at 10' (3.10 m)**
Camera Mount Options	**Over/Under 7" Mitchell (flat-base)**
Intel-A-Jib™ Mounting Requirements	**Dolly, tripod, or other, with 7" Mitchell mount (rated for weight of jib, camera package and counterbalance weight)**

*All specifications & features subject to change without notice.

Skyscraper

Over the years Matthews Studio Equipment (MSE) has pioneered in the development of large, heavy duty, safe and easy to operate, cranking light stands.

The original Crank-O-Vators served the industry for over 20 years and many are still in use. The CineVators and Super CineVators provided electrical assist to raising large lighting fixtures and eight years ago MSE premiered the Crank-O-Vator II series of stands…

Thousands of these veteran stands are working throughout the world serving the international production industries…

During the last two years we have been speaking with grips and gaffers throughout the world and formulating this new series of stands which we call SKYSCRAPER…

SKYSCRAPERS offer the production professional a very sturdy, robust lighting stand that loads at a lower height-raises to much higher operating levels and because it is manufactured from aluminum, it weighs significantly less than any of the other large cranking stands in our industry… The square tube design will significantly reduce any rotational torquing.

There are three models of the SKYSCRAPER stands suitable for both stage or location work. All models feature lower loading heights, EC certified cranking systems, a unique safety locking system on all risers and because of the aluminum construction, greater ease of handling without sacrificing safety. These stands are easy to maneuver when in the folded configuration for transporting and do not require an additional transport cart.



391000

SUPER SKYSCRAPER

Description: 4 section, folding legs, Aluminum Crank Stand, large foam filled wheels

Loading Height.....58" (146cm)
Maximum Height.....180" (457cm)
Capacity.....265lbs (120kg)
Weight of Stand.....162lbs (74kg)
Footprint.....86" (218cm)

Contact Your Dealer for Pricing.



391001

SKYSCRAPER

Description: 3 section, folding legs,
Aluminum Crank Stand, large foam filled wheels

Loading Height.....55" (140cm)
Maximum Height.....137" (347cm)
Capacity.....265lbs(120kg)
Weight of Stand.....130lbs (59kg)
Footprint.....83"(211cm)
Contact Your Dealer for Pricing.

391002

SKYSCRAPER STAGE

Description: 3 section, fixed legs,
Aluminum Crank Stand,stage wheels

Loading Height.....53" (135cm)
Maximum Height.....137" (347cm)
Capacity.....265lbs (120kg)
Weight of Stand.....100lbs (45kg)
Footprint.....70"(178cm)
Contact Your Dealer for Pricing.

000000

Lo Boy SKYSCRAPER

Description: Under Development

Matthews newest member of the Skyscraper family of stands. At press time we did not have photos or specifications, however, the Lo Boy will be available in the second half of 2012. Contact your Matthews dealer for updates.

The collapsible design allows for space saving storage/transporting and moving.

As with any stand raising heavy fixtures to considerable heights, guy wires are strongly recommended to ensure safe operation while eliminating fixture movement.

'Knocker Lockers' safety feature ensures against column dropping should cable fail.

Crank handle shown folded away to prevent inadvertent lowering of the fixture.

Stablizing brace ensures rigidity of folded legs, shown in locked operating position.

STANDS



CHAPTER TWO

MERF Stand

Look Ma'...No Handles!

A new concept in small, robust kit stands...Matthews does it again! We have taken the proven small stand concept of reverse folding legs and gone one step further by introducing MERF — which features a secure clamping system that eliminates T-handles!

Stuff it into your backpack or small portable lighting kit; when extended MERF will give you a full 7'5" (277cm) stand that features heavy wall, lightweight aluminum tubing for added strength and stability that is even more compact than other stands because of the unique Cam clamping system that holds the riser tubes firmly in place. You will be confident that your precision lighting instruments are secure when positioned on this robust, compact stand. Should in-field repairs become necessary, MERF is assembled with readily available nuts and bolts — not rivets!

Once again it's Matthews Studio Equipment. It's bold, it's new, it's MERF — 'Technology That Complements Your Imagination'.

SPECIFICATIONS

Max Height.....89" (7'5" or 277cm)
Closed Length.....20" (51cm)
Weight.....2.5 lbs (1.1Kg)
Capacity.....9 lbs (4kg)
Footprint Diameter.....24" (61cm)

B387489 MERF..... List Price $86.00



Reverse Stand

Now here's a clever idea that really complements your imagination — Matthews Reverse Stand. An innovative approach to folding a stand without compromising the stand's integrity or capacity. It's a tough little stand with a really neat feature!

The dimensions are particularly impressive when you compare the maximum height you're able to attain against the minimum folded length. And, it's lightweight, strong and extremely durable. However, should there be a need for repair, it's constructed using nuts and bolts — not rivets — making repairs a whole lot easier! Comes with 4 risers and a 5/8 pin. Now that's versatile!

Why wouldn't it be… it's Matthews.

DIMENSIONS

Height	83.5" (212cm)
Weight	3lbs (1.4kg)
Footprint	32" (81cm)
Folded	22.75" (58cm)
Folded Diameter	3" (7.5cm)
Capacity	11 lbs (5kg)

B387486 Reverse Stand ..... List Price $88.00









Revenger Stands

Designed primarily for use in lighting kits, these stands are compact and light weight, ideal for assembling custom lighting kits or replacing your current stands. Matthews Revenger Stands employ a 'brake shoe' system for locking off the riser tubes as opposed to 'pinch castings', therefore permitting the use of heavier fixtures. Revenger stands feature a wider footprint for increased stability, beefed up leg braces, and a very low price. Ideal for students, studio or location.



387402 — Black Revenger Stand

Maximum Height.....128" (3130mm)
Minimum Height.....38" (930mm)
Weight Capacity.....22 lbs (10kg)
Weight.....4 lbs (1.8kg)
Footprint.....43" (1092mm)
Folded Base.....5" (127mm)
Folded Length.....36" (920mm)
List Price: $79.00

387102 Wheels

Set of 3
List Price: $35.00

B389787 Kit — Light/Medium with Brake — Black

Maximum Height.....82" (2083mm)
Minimum Height.....26" (660mm)
Weight Capacity.....17 lbs (8kg)
Weight.....3 lbs (1kg)
Footprint.....27" (686mm)
Folded Base.....5" (127mm)
Folded Length.....27" (690mm)
List Price: $101.00

387102 Wheels

Set of 3
List Price: $35.00

B389788 Kit — Medium Duty with Brake — Black

Maximum Height.....92.5" (2350mm)
Minimum Height.....30" (76mm)
Weight Capacity.....20 lbs (9kg)
Weight.....3.5 lbs (1.5kg)
Footprint.....32" (813mm)
Folded Base.....3" (76mm)
Folded Length.....31" (790mm)
List Price: $96.00

387102 Wheels

Set of 3
List Price: $35.00

387485 — Chrome — Steel B387485 — Black — Aluminum Kit — Medium Duty Maxi

Maximum Height.....113.5" (2350mm)
Minimum Height.....36" (914mm)
Weight Capacity.....25 lbs (11kg)
Weight.....8.5 lbs 4kg)
Footprint.....37" (813mm)
Folded Base.....3" (76mm)
Folded Length.....36" (920mm)
List Price: $140.00

387101 Wheels

Set of 3
List Price: $35.00

FALCON. Matthews Newest Kit Stand.

The Falcon is a lightweight aluminum twelve foot stand that is both robust and rugged. All risers are braked and not 'pinched' and, as always, Matthews stands are manufactured and assembled using nuts and bolts — not rivets! Finished in a non-reflective flat black finish, the Falcon stand is a strong triple-riser lightweight stand that is ideal for either location or studio work. The mounting pin is a heavy-duty 5/8" (16mm) steel double-cross pinned spigot.

The Matthews Back Light Stand is configured so that accurate positioning of the back light may be achieved. Used for either background illumination or back lighting the subject. An extendable column allows for a wide range of heights and includes an interchangeable 5/8" pin that positions the light almost directly on the floor.



B387487

387101
WHEELS
Set of 3



B387490





B387496
FALCON KIT STAND



339763
BACK LIGHT STAND

B387487
Kit — Light/Heavy
Double Riser — Black

Maximum Height..... 100.5" (2553mm)
Minimum Height.....39" (991mm)
Weight Capacity..... 25 lbs (11kg)
Weight.....6 lbs (3kg)
Footprint.....43" (1090mm)
Folded Base.....5" (127mm)
Folded Length.....36" (920mm)
List Price: $164.00

387101 Wheels
Set of 3
List Price: $35.00

B387490
Kit — Light/Heavy
Triple Riser — Black

Maximum Height.....149" (3531mm)
Minimum Height.....49" (1245mm)
Weight Capacity.....25 lbs (11kg)
Weight.....7lbs (3kg)
Footprint.....43" (1090mm)
Folded Base..... 5" (127mm)
Folded Length.....39" (990mm)
List Price: $197.00

387102 Wheels
Set of 3
List Price: $35.00

B387496
FALCON Kit Stand

Maximum Height.....144" (366cm)
Minimum Height.....51.5" (131cm)
Weight Capacity.....30 lbs (14Kg)
Weight.....6 lbs (2.8Kg)
Footprint.....36" (91cm)
Folded Base.....5" (12cm)
Folded Length.....45" (114cm)
List Price: $130.00

387101 Wheels
Set of 3
List Price $35.00

339763
Back Light Stand — Black

Maximum Height.....52" (1320mm)
Minimum Height.....19" (492mm)
Weight Capacity.....22 lbs (10kg)
Weight.....4 lbs (1.8kg)
Footprint.....12" (305mm)
Folded Base.....5" (127mm)
List Price: $67.00

The History of C-Stands™

Matthews Century Stand circa 1972.

In 1974 Matthews Studio Equipment introduced the industry's first folding base C-Stand. (C-Stand and Century Stand are registered trademarks of Matthews Studio Equipment.) Matthews now produces a wide range of C-Stands and related accessories to assist the motion picture, television and photographic professional in lighting and lighting modification support. The term 'Century Stand' goes back to the early days of motion picture production. Before there was artificial lighting the stages would revolve to allow for continuous overhead lighting from the sun. Large reflectors would be positioned to bounce or kick the overhead light up onto the stage and illuminate the set and actors. These reflectors were made in many sizes but it seems the most popular was the 100 inch, or 'century', sized reflector. In later years studios, grips and gaffers began to manufacture the earliest versions of what we now call C-Stands. The original C-Stands had welded bases that did not fold up or did they adjust but the fact that they easily nested together made them invaluable on the stage. Century Stands or 'C' stands are an important component in the image makers arsenal of tools. These popular stands are available in many different configurations, lengths and finishes. The unique staggered leg design allows C-Stands to be nested and therefore be placed extremely close to one another on set. The lower leg can also be slid under many objects. The C+ offers a removable base for the risers making disassembly for travel simple and easy without being cumbersome or having the awkwardness typical of other manufacturers. The sliding leg allows for use on stairs, off curbs and even as high as a desk or counter top. Patents applied for and pending. Fast, easy opening and closing.

Hollywood C-Stand™ Kits



756040
40" C-Stand w/Sliding Leg
Includes Grip Head & Arm

Max Ht: 126.5" (321cm)
Min Ht: 53" (126cm)
Capacity: 22 lbs. (10Kg)
Weight: 16lbs. (7.2 Kg)
Footprint: 27.5" (70cm)
Folded Base: 21" (54cm)
List Price: $187.00
Available in black finish.
B756040

339567
Hollywood Pro
40" C-Stand w/Sliding Leg
Low Profile Base Includes Grip Head & Arm

Max Ht: 126.5" (321cm)
Min Ht: 53" (126cm)
Capacity: 22 lbs. (10Kg)
Weight: 16lbs. (7.2 Kg)
Footprint: 27.5" (70cm)
Folded Base: 21" (54cm)
List Price: $208.00

All GOBO Arms are Stainless Steel.

756140*
40" C+ Stand w/Turtle Base*
Includes Grip Head & Arm

Max Ht: 126.5" (321cm)
Min Ht: 53" (126cm)
Capacity: 22 lbs. (10Kg)
Weight: 16lbs. (7.2 Kg)
Footprint: 27.5" (70cm)
Folded Base: 21" (54cm)
List Price: $230.00
Available in black finish.
B756140

Hollywood C-Stand™ Features



Matthews' T-handles and spin handles are ergonomically designed to allow for fast, efficient and safe tightening with little effort.

*All Matthews C-Stands are available with 18mm receivers for 16mm pins for the international production industry's requirements.

*All Matthews 2-1/2" gripheads are available with 16mm pins.

*Contact your dealer for price.



Matthews' C-Stand legs are arc welded for maximum strength and lighter weight. No heavy, fragile castings.



Brakes. All Matthews stands feature v-shaped, brass brakes to ensure maximum three point contact and holding strength.

20" Hollywood C-Stand™ Kits



339570
Hollywood Pro
20" C-Stand w/Sliding Leg,
Low Profile Includes Grip Head & Arm

Max Ht: 63" (161cm)
Min Ht: 30" (76cm)
Capacity: 22 lbs. (10Kg)
Weight: 8.25lbs. (4 Kg)
Footprint: 27.5" (70cm)
Folded Base: 21" (54cm)
List Price: $208.00



756120*
20" C+ Stand Turtle Base
Includes Grip Head & Arm

Max Ht: 63" (161cm)
Min Ht: 30" (76cm)
Capacity: 22 lbs. (10Kg)
Weight: 13lbs. (6 Kg)
Footprint: 27.5" (70cm)
Folded Base: 21" (54cm)
List Price: $230.00
Available in black finish.
B756120



756020
20" C-Stand w/Sliding Leg
Includes Grip Head & Arm

Max Ht: 63" (161cm)
Min Ht: 30" (76cm)
Capacity: 22 lbs. (10Kg)
Weight: 8.25lbs. (4 Kg)
Footprint: 27.5" (70cm)
Folded Base: 21" (54cm)
List Price: $187.00
Available in black finish.
B756020

Century Stands™ Spring Loaded C-Stands™

These popular stands are available in many different configurations, lengths and finishes. The unique staggered leg design allows C-Stands to be nested and therefore be placed extremely close to one another on set. The lower leg can also be slid under many objects. The C+ offers a removable base for the risers making disassembly for travel simple and easy without being cumbersome or having the awkwardness typical of other manufacturers. Patents applied for and pending. Fast, easy opening and closing.



339573
20" C Stand - "Punky"
w/Spring Loaded

Mini Base - 17" Foot Print
Max Ht: 63" (161cm)
Min Ht: 30" (75cm)
Capacity: 15lbs. (7Kg)
Weight: 7lbs. (3Kg)
Footprint: 27.5" (70cm)
Folded Base: 21" (54cm)
List Price: $225.00
Available in black finish.
B339573



339574
20" C Stand
w/Spring Loaded Base

Max Ht: 63" (161cm)
Min Ht: 30" (76cm)
Capacity: 22lbs. (10Kg)
Weight: 8.25lbs. (4Kg)
Footprint: 27.5" (70cm)
Folded Base: 21" (54cm)
List Price: $175.00
Available in black finish.
B339574

339561
30" C Stand
w/Spring Loaded Base

Max Ht: 97" (246cm)
Min Ht: 51" (130cm)
Capacity: 22lbs. (10Kg)
Weight: 13lbs. (6Kg)
Footprint: 27.5" (70cm)
List Price: $265.00
Available in black finish.
B339561



339564
40" C Stand
w/Spring Loaded Base

Max Ht: 126" (321cm)
Min Ht: 53" (134cm)
Capacity: 22lbs. (10Kg)
Weight: 11lbs. (5 Kg)
Footprint: 27.5" (70cm)
List Price: $189.00
Available in black finish.
B339564

339568
60" C Stand
w/Spring Loaded Base

Max Ht: 184" (467cm)
Min Ht: 70" (178cm)
Capacity: 22lbs. (10Kg)
Weight: 18lbs. (8Kg)
Footprint: 27.5" (70cm)
List Price: $266.00
Available in black finish.
B339568



339758
40" C+ Stand
w/Spring Loaded Base

Max Ht: 126" (321cm)
Min Ht: 53" (134cm)
Capacity: 22lbs. (10Kg)
Weight: 11lbs. (5 Kg)
Footprint: 27.5" (70cm)
Folded Base: 21" (54cm)
List Price: $194.00
Available in black finish.
B339758

Hollywood C-Stand™ Accessories

681012
20" Stainless Steel Arm
Weight: 2 lbs. (1Kg)
List Price: $58.00

B681012
Available in black finish.
List Price: $58.00

681013
40" Stainless Steel Arm
Weight: 3.25 lbs. (1.5 Kg)
List Price: $58.00

B681013
Available in black finish.
List Price: $58.00





655020
20" Grip Head & Stainless Steel Arm
Weight: 3.25 lbs. (1.5 Kg)
List Price: $80.00
Available in black finish.
B655020

655040
40" Grip Head & Stainless Steel Arm
Weight: 4.5 lbs. (2Kg)
List Price: $80.00
Available in black finish.
B655040



"Set it – and forget it!"
Matthews grip heads with the patented "V" grove concept will not slip.

350580
Hollywood Grip Head™
The strongest and most popular grip head in the industry.
Plates feature 3/8" and 5/8" mounting holes.
Weight: 1.3 lbs. (0.6Kg)
List Price: $39.00
Available in black finish.
B350580



754042
40" C-Stand with
Double Sliding Leg
Weight: 12 lbs. (5.5Kg)
List Price: $235.00



339761
C+20" Riser
Section Only
Weight: 7 lbs. (3.2Kg)
List Price: $100.00

339725
C+40" Riser
Section Only
Weight: 10 lbs. (4.6Kg)
List Price: $130.00



339759
Spring Loaded
Turtle Base Only
Weight: 5 lbs. (2Kg)
List Price: $136.00
Available in black finish.
B339759



429658
Century Stand
Door Rack
Holds up to six
stands securely.
Weight: 4 lbs. (1.8Kg)
List Price: $169.00

Baby Stands

The MatthLINK Stand

The MatthLINK Stand is truly the missing link! Designed to replace everything from full apple boxes to pancakes, this flexible stand is designed to work with anything that has a 5/8" baby pin, extending from the ground up to 17 inches on center. The MatthLINK Stand can be placed over cable, tucks neatly into corners, and is easily stored by the dozen in a milk crate. This unique design replaces the old Baby Plate screwed to any apple box configuration. Save your apple boxes for what they were made for…SITTING!!!

CATALOG #	DESCRIPTION	LBS/KG	LIST PRICE
B386019	The MatthLINK Stand	2.8 (1.2kg)	$180.00



MATTHLINK STAND AT FULL EXTENSION



MATTHLINK STAND FITS SNUGLY INTO ANY CORNER



B386019
THE MATTHLINK STAND

Baby Stands — "Pony"

Heavy-duty and rugged, these aluminum and steel stands can withstand the rigors of location shooting. Made with square tubular legs for additional strength. Smaller versions of Beefy Baby Stands are known as Mini Preemie and Premie Baby Stands.

386034 Preemie Baby

Maximum Height.....69" (1753mm)
Minimum Height.....28" (711mm)
Weight Capacity.....25lbs (11kg)
Weight.....5lbs (2kg)
Footprint.....30" (76mm)
Folded Base.....5" (127mm)
List Price: $214.00

386038 Mini Preemie Baby — Steel

Maximum Height.....36" (914mm)
Minimum Height.....20" (508mm)
Weight Capacity.....22lbs (10kg)
Weight.....5.75lbs (3kg)
Footprint.....14" (356mm)
Folded Base.....5" (127mm)
List Price: $214.00



386034
PREEMIE BABY

386038
MINI PREEMIE BABY

Hollywood Beefy Baby®

The Hollywood Beefy Baby leg supports now fold down. Legs are made of steel instead of aluminum to provide greater stability and longer wear. The top riser which is the smallest in diameter is also made of steel increasing its strength and permitting the 5/8" Baby Pin to be welded directly to the riser instead of being pinned.



387030
Hollywood Beefy Baby — Double Riser with Rocky Mountain Leg

Maximum Height.....104" (2642mm)
Minimum Height.....41" (1041mm)
Weight Capacity..... 22lbs (10kg)
Weight.....12.5lbs (5.7kg)
Footprint.....33.5" (851mm)
Folded Base.....5" (127mm)
List Price: $248.00

387031
Hollywood Beefy Baby — Triple Riser with Rocky Mountain Leg

Maximum Height.....148" (3759mm)
Minimum Height..... 45.5" (1156mm)
Weight Capacity.....20lbs (9.1kg)
Weight.....13.5lbs (6.1kg)
Footprint.....33.5" (851mm)
Folded Base.....5" (127mm)
List Price: $281.00



Beefy Baby Stand® Door Rack

Will hold up to 7 Beefy Baby Stands. Racks for other type stands are available on request and can be ordered in custom colors.

CATALOG #	DESCRIPTION	LBS	LIST PRICE
429657	Beefy Baby Stand Door Rack	5.5	$130.00

Hollywood Baby Jr. Stands

These very popular lighting stands for Baby fixtures which require a 5/8" mounting pin are made with steel legs and riser assembly. The tripod braced base with 'all-axis' non-marking locking casters provides great stability. Matthews casters are not cheap, but when buying wheels you get what you pay for. Matthews casters are non-marking, and lock in the caster position as well as rotationally. Made from steel components not plastic and will provide years of durable service.

H386025
Baby Jr. Double Riser

Maximum Height.....116" (2946mm)
Minimum Height.....48" (1219mm)
Weight Capacity.....30 lbs (14kg)
Weight.....14 lbs (6kg)
Footprint.....34" (864mm)
Folded Base.....10" (254mm)
List Price: $332.00

H386020
Baby Jr. Triple Riser

Maximum Height.....147" (3734mm)
Minimum Height.....55" (1397mm)
Weight Capacity.....30 lbs (14kg)
Weight.....18.5lbs (8kg)
Footprint.....49" (1245mm)
Folded Base.....16" (406mm)
List Price: $350.00

IMPROVED! Unlike others, Matthews rolling stands track in a straight line – especially important when moving overheads or butterflies. No more foot castings. Wheels are protected when folded.



H386020 BABY JR. TRIPLE RISER

H386025 BABY JR. DOUBLE RISER

366165
HOLLYWOOD COMBO
TRIPLE RISER

369673
HOLLYWOOD COMBO
DOUBLE RISER

4-1/2" Hollywood Grip Head® —"Lollipop"

Plates now feature two holes of 3/8" and 5/8" diameter that eliminate any confusion. New casting offers positive lock in all directions. The strongest and most popular 4-1/2" Grip Head in the industry. Guaranteed to hold.

CATALOG #	DESCRIPTION	LBS	LIST PRICE
349581	Hollywood 4-1/2" Grip Head	5	$113.00



349581
4-1/2" HOLLYWOOD
GRIP HEAD®

Combo Adapter Wheels

Easily move your Matthews Combo Stand around the studio floor with these large diameter, heavy-duty, multiple locating/locking caster sets. A strong spring steel retainer ensures a tight fit without having to drill through the legs.

CATALOG #	DESCRIPTION	LBS	LIST PRICE
366068	Combo Adapter Adapter Wheels Set of 3	5.5	$250.00



366068
COMBO
ADAPTER
WHEELS
Set of 3

Combo Door Rack

Will hold up to 5 Combo Stands.

CATALOG #	DESCRIPTION	LBS	LIST PRICE
429655	Combo Door Rack	5.5	$92.00



Hollywood Combo

A Stand with an attitude! Wider footprint and longer legs provide increased stability. Complete with Rocky Mountain Leg and steel construction. Available with aluminum risers upon request. Will accept Matthews #366068 Combo Adapter Wheels. Matthews casters are locking and non-marking. Made from steel components not plastic and will provide years of durable service.

369673
Hollywood Combo — Double Riser

Maximum Height.....136" (3454mm)
Minimum Height..... 49.5" (1257mm)
Weight Capacity..... 90 lbs (40kg)
Weight..... 28lbs (12kg)
Footprint..... 43" (1092mm)
Folded Base..... 5" (127mm)
List Price: $325.00

366165
Hollywood Combo — Triple Riser

Maximum Height.....177.5" (4508mm)
Minimum Height.....54.2" (1376mm)
Weight Capacity..... 68 lbs (30kg)
Weight..... 32lbs (14kg)
Footprint.....43" (1092mm)
Folded Base..... 5" (127mm)
List Price: $352.00

369764
Hollywood Combo Double Riser, Aluminum

Maximum Height.....136" (3454mm)
Minimum Height.....49.5" (1257mm)
Weight Capacity..... 80 lbs (36kg)
Weight..... 13 lbs (6kg)
Footprint.....43" (1092mm)
Folded Base.....5" (127mm)
List Price: $396.00

366066
Low Boy — Double Riser Combo Stand, Steel

Maximum Height.....76.5" (1943mm)
Minimum Height.....33.5" (851mm)
Weight Capacity.....72lbs (33kg)
Weight.....16lbs (7kg)
Footprint..... 31" (787mm)
Folded Base..... 4" (102mm)
List Price: $308.00

366065
Sky High — Triple Riser Combo Stand, Steel

Maximum Height.....183" (4648mm)
Minimum Height.....56" (1442mm)
Weight Capacity.....50lbs (23kg)
Weight.....28lbs (13kg)
Footprint..... 40" (1000mm)
Folded Base..... 4.5" (114mm)
List Price: $375.00

Digital Stands™

Matthews Digital presents two new, high-quality lighting stands for the demanding professional. Innovative, robust and durable, the Matthews Digital lighting stands are becoming an integral component of location and studio lighting packages. Additionally, each riser section is spring dampened, ensuring the stand may be safely lowered. Designed to be stronger and lighter than other manufacturers' more expensive aluminum combo stands, Matthews Digital Stands are also lower in cost.



Baby Stand

Sky Hi Triple Riser Baby Stand
Maximum Height.....163" (414cm)
Minimum Height.....50" (127cm)
Weight Capacity..... 58 lbs (26.3kg)
Weight..... 13 lbs (5.9kg)
Footprint.....51" (130cm)
5/8" Pin/Spigot
Rocky Mountain Leveling Leg
Rack Mount Adapter

387032 Baby Stand..... List Price $237.00





Combo Stand

Double Riser Combination Stand
Maximum Height.....132" (335cm)
Minimum Height.....51" (130cm)
Weight Capacity..... 88 lbs (40kg)
Weight.....18 lbs (8.1kg)
Footprint.....32" (81cm)
5/8" Pin/Spigot plus 1-1/4" Receiver
Rocky Mountain Leveling Leg
Rack Mount Adapter

369675 Combo Stand..... List Price $248.00

Magic Stand™

This stand is truly magical! With the Runway Base added, the Magic Stand can be a regular rolling light stand. It can be a high rolling light stand, and it can also convert to a two section light boom with its own rolling stand. Its versatility is truly magical, whether a light needs to be placed at floor height, or behind as a hair light, or over a table for a product shot. This stand can do it all! Made with a standard 1-1/8" Junior Pin at the bottom, the Magic Stand riser could be added to the Combo Stand as a very unique stand extension or inverted to hang from a C Clamp into the set. The top riser incorporates our Magic Finger™. A stand that has been copied, but not yet duplicated!

999042
Magic Stand — Complete w/Runway Base

Maximum Height.....150" (3810mm)
Minimum Height.....54.5" (1384mm)
Weight Capacity.....40 lbs (18kg)
Weight.....37 lbs (17kg)
Footprint.....32" (812mm)
Folded Base.....21" (583mm)
List Price: $875.00

388214
Magic Stand — Riser Only

Maximum Height.....150" (3810mm)
Minimum Height.....54.5" (1384mm)
Weight Capacity.....40 lbs (18kg)
Weight.....17 lbs (8kg)
Footprint.....NA
Folded Base.....NA
List Price: $505.00

388200
Baby Runway Stand (includes base)

Maximum Height.....115" (2921mm)
Minimum Height.....49.5" (1257mm)
Weight Capacity.....40 lbs (18kg)
Weight.....20 lbs (9kg)
Footprint.....32" (812mm)
Folded Base.....21" (533mm)
List Price: $467.00

Runway Base

This really low rolling stand base was designed to work with the Magic Stand, but it is also capable of handling any large light fixture mounted directly into its Posi-V-Lock Junior Receiver. Matthews casters are locking and non-marking. Made from steel components not plastic and will provide years of durable service.

388201
Runway Base

Height.....6" (152mm)
Weight Capacity.....250 lbs (113kg)
Weight.....20 lbs (9kg)
Footprint.....32" (812mm)
Folded Base.....20" (508mm)
List Price: $393.00



999042
MAGIC STAND

RUNWAY BASE FOLDS
FOR EASY STORAGE

Hollywood Junior & Senior Stands

Designed for larger lighting fixtures, these stands are built with steel legs and steel riser assemblies. These stands provide a stable rolling base for Junior and midsize lighting fixtures. Equipped with universal Posi-V-Lock Junior Receiver with pop up 5/8" male pin, the Senior Stands are made for fixtures weighing up to 88 pounds. Please refer to the technical specification for the weight limitations of each stand. Matthews casters are locking and non-marking. Made from steel components not plastic and will provide years of durable service.

H386021
Low Boy Junior
Double Riser — Rolling

Maximum Height..... 75" (1905mm)
Minimum Height..... 39" (991mm)
Weight Capacity..... 55 lbs (11kg)
Weight..... 24.5 lbs (6kg)
Footprint..... 57" (1446mm)
Folded Base..... 12" (305mm)
List Price: $358.00

H386033
Junior Stand Triple Riser — Rolling

Maximum Height..... 154" (3912mm)
Minimum Height..... 56" (1422mm)
Weight Capacity..... 55 lbs (25kg)
Weight..... 31 lbs (14kg)
Footprint..... 57" (1446mm)
Folded Base..... 12" (305mm)
List Price: $418.00

429051
Junior Double Riser — Column Only

Maximum Height..... 91" (2311mm)
Minimum Height..... 45" (1143mm)
Weight Capacity..... 55 lbs (25kg)
Weight..... 9 lbs (4kg)
Footprint..... NA
Folded Base..... 20" (508mm)
List Price: $202.00

H386022
Junior Stand
Double Riser — Rolling

Maximum Height..... 114" (2896mm)
Minimum Height..... 51" (1295mm)
Weight Capacity..... 55 lbs (25kg)
Weight..... 27 lbs (12kg)
Footprint..... 57" (1446mm)
Folded Base..... 12" (305mm)
List Price: $385.00

H386026
Low Boy Senior Stand
Double Riser — Rolling

Maximum Height..... 97" (2426mm)
Minimum Height..... 45" (1143mm)
Weight Capacity..... 90 lbs (41kg)
Weight..... 27.5 lbs (12.5kg)
Footprint..... 60" (1524mm)
Folded Base..... 14" (356mm)
List Price: $429.00

H386027
Senior Stand
Double Riser — Rolling

Maximum Height..... 126" (3200mm)
Minimum Height..... 56" (1422mm)
Weight Capacity..... 88 lbs (40kg)
Weight..... 35 lbs (16kg)
Footprint..... 60" (1524mm)
Folded Base..... 16" (406mm)
List Price: $413.00





IMPROVED!
Unlike others, Matthews rolling stands track in a straight line – especially important when moving overheads or butterflies. No more foot castings. Wheels are protected when folded.

Hollywood Overhead Stands

Roller Stands, or Overhead Stands as they are often called, utilize all steel tubes and legs. Developed for flying Butterflies and Overheads on location and supporting large backdrops in studios, these stands feature wide bases for stability and terminate in the new 4.5" Grip Head. Plates now feature two holes of 3/8" and 5/8" diameter that eliminate any confusion. New casting offers positive lock in all directions. The strongest and most popular 4-1/2" Grip Head in the industry. Guaranteed to hold. Matthews casters are locking and non-marking. Made from steel components not plastic and will provide years of durable service.



H377573
Medium Overhead Roller Stand

Maximum Height.....167.5" (4255mm)
Minimum Height.....64" (1626mm)
Weight Capacity.....88 lbs (40kg)
Weight.....35.5lbs (16kg)
Footprint.....60" (1524mm)
Folded Base.....16" (406mm)
List Price: $479.00

H377574
Hi-Hi Overhead Roller Stand

Maximum Height.....249" (6325mm)
Minimum Height.....84" (2134mm)
Weight Capacity.....88 lbs (40kg)
Weight.....43 lbs (20kg)
Footprint.....60" (1524mm)
Folded Base.....16" (406mm)
List Price: $506.00

H377577
Hi-Hi Overhead Roller Stand with Rocky Mountain Leg

Maximum Height.....249" (6325mm)
Minimum Height.....84" (2134mm)
Weight Capacity.....88lbs (40kg)
Weight.....43 lbs (20kg)
Footprint.....60" (1524mm)
Folded Base.....16" (406mm)
List Price: $550.00

377575
Hi-Hi Overhead Stand — Wide Base

Maximum Height.....241" (6121mm)
Minimum Height.....76" (1930mm)
Weight Capacity.....66 lbs (30kg)
Weight.....38 lbs (17kg)
Footprint.....75" (1095mm)
Folded Base.....4.5" (114mm)
List Price: $462.00

IMPROVED!
Unlike others, Matthews rolling stands track in a straight line – especially important when moving overheads or butterflies. No more foot castings. Wheels are protected when folded.

Mini Mombo

The New Hi Stand of Choice by Professionals All Over The World.

The New Mini Mombo Stand.

If you do not need all the potential height of the Mombo Combo Stand but rather would like a lighter weight stand with almost as much reach as the Mombo Combo please consider the new Mini Mombo from Matthews. Matthews has engineered the Mini Mombo to achieve the much desired 'lower working height' required when mounting either large flags and butterflies or heavy lighting fixtures.

The Mini Mombo 4-riser stand has a maximum height of over 17 feet and will easily handle fixtures over 80 pounds. Great for overheads and frames. Like all Matthews stands the Mini Mombo packs a lot of punch! It's strong, robust, and the Mini Mombo's Rocky Mountain leg will offset uneven terrain to ensure a firm,stable and sturdy footprint.

377585
Mini Mombo Overhead/Light Stand

Specifications:

Closed Length.....66.5" (169cm)
Loading Height.....64" (162cm)
Maximum Height.....17'4" (529cm)
Weight Capacity.....88 lbs (40Kg)
Weight.....34 lbs (15.5Kg)

List Price: $575.00

366068
Caster and Brake Assembly

Position your Mombo exactly where you need it with this rugged and robust wheel set. Foot actuated brakes lock both wheel position and rotation. Matthews casters are locking and non-marking. Made from steel components not plastic and will provide years of durable service.

List Price: $250.00 Set of 3





377585
MINI MOMBO

Mombo Combo — "Daddy Long Legs"



MOMBO COMBO STAND SHOWN FULLY EXTENDED TO A HEIGHT OF 22 FEET.

377583
MOMBO COMBO STAND

The Mombo Combo Stand achieves an incredible height of 22 feet. Because of this height, it features an extra-wide base and incorporates a collar for attaching stabilizing Guy wires or ropes (Matthews #377578-40). The Mombo Combo legs are made of rectangular steel tubing and are internally reinforced with a Matthews engineered gusset assembly. This is absolutely the strongest stand of its type in the business!

CAUTION: Slight wind can create a tremendous hazard at the heights attainable with this stand. The use of stabilizing cables or guy ropes is recommended.

377583
Mombo Combo Stand - Standard Finish

Maximum Height.....268" (7417mm)
Minimum Height.....74.5" (1892mm)
Weight Capacity.....88 lbs (40kg)
Weight.....48.5 lbs (22kg)
Footprint.....74" (1180mm)
Folded Base.....6" (152mm)
List Price: $605.00



377578-40
GUY ROPE SAFETY SET

377581
MASTER CASTER

Guy Rope Safety Set

Set of three ropes complete with clips to attach to the Guy Ring on the Mombo Combo Stand or any other stand during windy conditions.

CATALOG #	DESCRIPTION	LBS	LIST PRICE
377578-40	Guy Rope Safety Set (3 ropes with clips)	2	$96.00

Master Caster

These wheels convert our standard combo stand and/or mini vator into a rolling reflector light stand. Matthews uses a 10" semi-pneumatic, puncture proof cinevator type wheel with a 4-position lock. Ideal for semi-rough terrain.

CATALOG #	DESCRIPTION	LBS	LIST PRICE
377581	Master Caster — Set of 3	28.5	$780.00

MOMBO COMBO Wheel Adapters

Matthews casters are locking and non-marking. Made from steel components not plastic and will provide years of durable service.

CATALOG #	DESCRIPTION	LBS	LIST PRICE
377579	Wheel Adapters — Set of 3 O/S 1"x 1-1/2"	11.3	$230.00
377584	Wheel Adapters — Set of 3 N/S 1-1/4"x 1-1/4"	11.3	230.00



377579
MOMBO COMBO WHEEL ADAPTERS

Skyscraper

Over the years Matthews Studio Equipment (MSE) has pioneered in the development of large, heavy duty, safe and easy to operate, cranking light stands.

The original Crank-O-Vators served the industry for over 20 years and many are still in use. The CineVators and Super CineVators provided electrical assist to raising large lighting fixtures and eight years ago MSE premiered the Crank-O-Vator II series of stands...

Thousands of these veteran stands are working throughout the world serving the international production industries...

During the last two years we have been speaking with grips and gaffers throughout the world and formulating this new series of stands which we call SKYSCRAPER...

SKYSCRAPERS offer the production professional a very sturdy, robust lighting stand that loads at a lower height-raises to much higher operating levels and because it is manufactured from aluminum, it weighs significantly less than any of the other large cranking stands in our industry... The square tube design will significantly reduce any rotational torquing.

There are three models of the SKYSCRAPER stands suitable for both stage or location work. All models feature lower loading heights, EC certified cranking systems, a unique safety locking system on all risers and because of the aluminum construction, greater ease of handling without sacrificing safety. These stands are easy to maneuver when in the folded configuration for transporting and do not require an additional transport cart.

391000

SUPER SKYSCRAPER

Description: 4 section, folding legs, Aluminum Crank Stand, large foam filled wheels

Loading Height.....58" (146cm)
Maximum Height.....180" (457cm)
Capacity.....265lbs (120kg)
Weight of Stand.....162lbs (74kg)
Footprint.....86" (218cm)

Contact Your Dealer for Pricing.

391001

SKYSCRAPER

Description: 3 section, folding legs,
Aluminum Crank Stand, large foam filled wheels

Loading Height.....55" (140cm)
Maximum Height.....137" (347cm)
Capacity.....265lbs (120kg)
Weight of Stand.....130lbs (59kg)
Footprint.....83"(211cm)
Contact Your Dealer for Pricing.

391002

SKYSCRAPER STAGE

Description: 3 section, fixed legs,
Aluminum Crank Stand,stage wheels

Loading Height.....53" (135cm)
Maximum Height.....137" (347cm)
Capacity.....265lbs (120kg)
Weight of Stand.....100lbs (45kg)
Footprint.....70"(178cm)
Contact Your Dealer for Pricing.

000000

Lo Boy SKYSCRAPER

Description: Under Development

Matthews newest member of the Skyscraper family of stands. At press time we did not have photos or specifications, however, the Lo Boy will be available in the second half of 2012. Contact your Matthews dealer for updates.



The collapsible design allows for space saving storage/transporting and moving.



As with any stand raising heavy fixtures to considerable heights, guy wires are strongly recommended to ensure safe operation while eliminating fixture movement.

'Knocker Lockers' safety feature ensures against column dropping should cable fail.

Crank handle shown folded away to prevent inadvertent lowering of the fixture.

Stablizing brace ensures rigidity of folded legs, shown in locked operating position.